

Scissor Lift

Used Scissor Lift New Mexico - Scissor lifts are industrial equipment that relies on steel linked arms to lift vertically. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. Workers use a sizeable rectangle platform that is secured to the top of the lifting apparatus. To maintain operator safety, there are support railings at the top of the platform. This machine maintains a low profile that is ideal for hard surfaces such as concrete and other compact surfaces. Scissor lifts can use an electric motor or a combustion engine to transport and lift the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. The same lifting technology is used for the lifting components in regular scissor lift models as well as rough terrain models. The rough terrain is specially designed for traversing uneven ground. Higher ground clearance and oversized all-terrain tires enable these machines to travel to tricky locations. These scissor lifts feature 4WD to get through muddy and difficult terrain. Lower lifting heights are offered due to the higher center of gravity. These machines can be intimidating if you have never been on one or operated one previously. Even though images of scissor lifts moving with the wind are easy to imagine, know that they have been specifically designed to provide complete operator safety and you won’t even feel the unit moving as it ascends or while it is extended. Rigorous safety testing has to be completed prior to selling these machines. It is natural to feel unsure of these units until you can familiarize yourself with them. Maintain safety procedures at all times. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The scissor lift model you will need will largely depend on the types of jobs you will need to do. How high you need to travel and how heavy the loads you will be transporting are all key factors. Extreme heights can be attained by different models depending on your specific application. Smaller models are commonly used for interior applications including warehouses and freight or factory settings. If you do not need the highest capacity model, there is no need to choose the largest unit available. Electric scissor lifts have optional platforms and railings to offer maximum safety features. These machines are designed to be reliable and safe. Of course, if these units did not undergo strict inspections and safety certification, they would not be for sale all over the world. Scissor lifts enable us to finish tasks that normally are inaccessible or unreachable otherwise. These lifts elevate vertically; therefore, the machine is parked in place prior to lifting. The operator will ensure it is the proper position prior to engaging the lift. Numerous safety features have been designed into the machine. Following operational guidelines is essential for everyone’s safety. The scissor lift’s safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. Most scissor lifts rely on internally mounted batteries within the lifts’ base for power. After working an extensive shift or for prolonged periods of time, charging is necessary. Batteries may be changed every 12 hours or charged many times throughout the day. To charge the scissor lift, the operator parks it close to an electrical outlet within a well-ventilated location. When the machine is parked, the emergency shut-off switch becomes engaged to stop. The emergency shut-off switch is the big red button located in the basket or the lift close to the control box or the charger. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The scissor lift charger is plugged into the AC extension cord into a well-ventilated location. Next, the extension cord plugs into an electrical outlet. It is essential that the electrical cord length on the battery charger is short to prevent being run over or damaged. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. Once the unit is plugged in, the batteries automatically start to charge. After the charging is complete, the battery lights switch to green and the charger shuts down. Older scissor lift models rely on a meter to show whether zero volts have been attained after complete charging has occurred. This type of

charger automatically shuts down as well once charging is done. After the scissor lift is completely charged, the unit is ready to get back to work. It is common for warehouses and certain businesses to keep batteries charging around the clock to allow the scissor lift to operate 24 hours a day.